



VISHWANIKETAN

Vishwaniketan's Institute of Management Entrepreneurship & Engineering Technology [VIMEET]
Affiliated to University of Mumbai. Approved by AICTE, New Delhi
DTE CODE: EN 3467

Survey No. 52, Kumbhivalli, Near Khalapur Toll Naka, Off. Mumbai - Pune Expressway, Tal. Khalapur,
Dist. Raigad, Pin - 410 202 Contact No. +91 9766783646

Mr. Madhu Bhatija
President

Mr. Sunil Bangar
Secretary


Dr. B. R. Patil
Principal

Reply to query no. 3 in Extended Profile

Sr. No. 7 Extended Id 3.2

Official letters of sanctioned posts from the statutory body / government / board of management are hereby attached for last five years. Please refer pdf attached in terms of deficiency reports of institute given by AICTE.




Principal
VIMEET
Principal
Vishwaniketan's (I) MEET

Approval Process 2016-17

W R O 1 - 1 4 5 5 4 3 6 0 0 1 - 1 7 - 1 0 0 1 0 5 7

Application Deficiency Report

Application Status: Submitted to RO
Application Sub-Status: Payment Received

Report Generated on :-26/03/2016

List of faculty and data uploaded on the institute web portal	Yes	No
Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
Courses/Approved intake displayed at the entrance of the institute?	Yes	No

Anti-Ragging Related Deficiency Status

Details of Requirement	Status provided by the Institute	Deficiency
Constitution of Anti-Ragging Committee	Yes	No
Constitution of Anti-Ragging Squad	Yes	No
Undertaking obtained from all Students	Yes	No
Appointment of Counselors	Yes	No
Undertaking obtained from parents of all the students	Yes	No
Undertaking obtained from students staying in Hostel:	Yes	No
Undertaking obtained from parents of students staying in Hostel	Yes	No

Ombudsman Related Deficiency Status

Details of Requirement	Status provided by the Institute	Deficiency
Grievance Committee	Yes	No


Total Number of Students in Institute

Number of Students UG	1140
Number of Students PG	0
Number of Students DIPLOMA	0
Total Students (CI) (UG+PG+DIPLOMA)	1140

28 MAR 2016

Date of Signature
(dd/mm/yyyy)




 Name & signature of Director /Principal
Principal
 Vishwaniketan's (I MEET)

***Note :- All the Dates in the Report are in dd/mm/yyyy format.

Printed By: AICN006210

Page 2 of 10

TRUE COPY


 Principal
 Vishwaniketan's (I MEET)

W R 0 1 - 1 4 5 5 4 3 6 0 0 1 - 1 7 - 1 0 0 1 0 5 6

Application Deficiency Report

Application Status: Submitted to RO
 Application Sub-Status: Payment Received

Report Generated on :-26/03/2016



All India Council for Technical Education
 (A Statutory body under Ministry of HRD, Govt. of India)
 7th Floor, Chandralok Building, Jangpeth, New Delhi- 110 004
 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-india.org

DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for existing institutes only)

Regional office	Western
Application Id	1-2809568165
Permanent Id	1-1455436001
Name of the Institute	VISHWANIKETAN'S INSTITUTE OF MANAGEMENT ENTREPRENEURSHIP AND ENGINEERING TECHNOLOGY (I MEET)
Address	SURVEY NO. 52 KUMBHIVALI, ON MUMBAI-PUNE EXPRESSWAY, NEAR KHALAPUR TOLL NAKA, TAL-KHALAPUR, DIST- RAIGAD
City/Village	KHALAPUR
District	RAIGAD
State	Maharashtra
Pin	410202

	Name	Qualification	Appointment type	PhD
Principal/Director	BABASAHEB PATIL	ELECTRICAL ENGINEERING, ELECTRICAL ENGINEERING,	Regular	Yes

Overall Deficiency of Institute	No
---------------------------------	----

Other Details		
Details of Requirement	Status provided by the Institute	Deficiency

28 MAR 2016

Date of Signature
(dd/mm/yyyy)



[Signature]
 Name & signature of Director /Principal
Principal
 Vishwaniketan's (I MEET)

***Note :- All the Dates in the Report are in dd/mm/yyyy format

Printed By: AICN006210

Page 1 of 10

TRUE COPY

[Signature]
 Principal
 Vishwaniketan's (I MEET)

W R O 1 - 1 4 5 5 4 3 6 0 0 1 - 1 7 - 1 0 0 1 0 5 8

Application Deficiency Report

Application Status: Submitted to RO
Application Sub-Status: Payment Received

Report Generated on :-26/03/2016

Faculty

Institute Level Faculty

Type	Actual number	Required number as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	78	76	No
Minimum 80% Regular Faculty	66	61	No

28 MAR 2016

Date of Signature
(dd/mm/yyyy)



[Signature]
Principal

Vishwaniketan's (i MEET)
Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy format

Printed By: AICN006210

Page 3 of 10

TRUE COPY

[Signature]
Principal
Vishwaniketan's (i MEET)

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-23/02/2017

Approval Process 2017-18 / Faculty Information 2016-17



All India Council for Technical Education

(A Statutory body under Ministry of HRD, Govt. of India)

Nelson Mandela Marg Vasant Kunj, New Delhi-110067
PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-india.org

DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for existing institutes only)

Regional office	Western
Application Id	1-3323479660
Permanent Id	1-1455436001
Name of the Institute	VISHWANIKETAN'S INSTITUTE OF MANAGEMENT ENTREPRENEURSHIP AND ENGINEERING TECHNOLOGY (I MEET)
Address	SURVEY NO. 52 KUMBHIVALI, ON MUMBAI-PUNE EXPRESSWAY, NEAR KHALAPUR TOLL NAKA, TAL-KHALAPUR, DIST- RAIGAD
City/Village	KHALAPUR
District	RAIGAD
State	Maharashtra
Pin	410202

Overall Deficiency of Institute:	No
----------------------------------	----

Designation	Name	Qualification	Appointment type	PhD
Principal/Director	BABASAHEB PATIL	ELECTRICAL ENGINEERING, ELECTRICAL ENGINEERING, No	Regular	Yes

Date of Signature
(dd/mm/yyyy)

Seal of Institute



Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy) format

Printed By: AICN006210

TRUE COPY

B. P.
Principal

Vishwaniketan's (I MEET)

Page 1 of 9

Application Deficiency Report

Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-23/02/2017

Other Details

Details of Requirement	Status provided by the Institute	Deficiency
List of faculty and data uploaded on the institute web portal	Yes	No
Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
Courses/Approved Intake displayed at the entrance of the institute?	Yes	No

Anti-Ragging Related Deficiency Status

Details of Requirement	Status provided by the Institute	Deficiency
Constitution of Anti-Ragging Committee	Yes	No
Constitution of Anti-Ragging Squad	Yes	No
Undertaking obtained from all Students	Yes	No
Appointment of Counselors	Yes	No
Undertaking obtained from parents of all the students	Yes	No
Undertaking obtained from students staying in Hostel:	Yes	No
Undertaking obtained from parents of students staying in Hostel	Yes	No

Ombudsman Related Deficiency Status

Details of Requirement	Status provided by the Institute	Deficiency
Grievance Committee	Yes	No

Total Number of Students in Institute

Number of Students UG	1560
Number of Students PG	0
Number of Students DIPLOMA	0

Date of Signature
(dd/mm/yyyy)

Seal of Institute

Name & signature of Director /Principal

***Note :- All the Dates in the Report are in dd/mm/yyyy format

Printed By: AICN006210

TRUE COPY

Page 2 of 9


 Principal
 Vishwaniketan's (I MEET)

Application Deficiency Report

Application Status: Submitted

Application Sub-Status: Payment Received

Report Generated on :-23/02/2017

Total Students (CI) (UG+PG+DIPLOMA)	1560
--	------

Faculty

Institute Level Faculty

Type	Actual number	Required number as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	115	104	No
Minimum 80% Regular Faculty	95	83	No

Administrative Area

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Principal / Director Office	61	20	No
Board Room	54	20	No
Office All Inclusive	191	150	No
Department Offices	190	100	No
Cabin for Head of Dept	50	50	No
Central Store	43	30	No
Maintenance	18	10	No
Housekeeping	10	10	No
Pantry for Staff/Faculty	10	10	No
Exam Control Office	63	30	No
Training Placement Office	72	50	No

Amenities Area

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Boys Common Room	76	75	No
Girls Common Room	76	75	No
Cafeteria	488	150	No
Stationery Store	18	10	No

Date of Signature
(dd/mm/yyyy)

Seal of Institute:

Name & signature of Director /Principal



***Note :- All the Dates in the Report are in dd/mm/yyyy) format

Printed By: AICN006210

Page 3 of 9

TRUE COPY


 Principal
 Vishwaniketan's (i) MEET

All India Council for Technical Education

(An Autonomous Organization, Under Ministry of HRD, Govt. of India)



Nelson Mandela Marg, Vasant Kunj, New Delhi-110067 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 <https://www.aicte-india.org>

APPROVAL PROCESS 2018-19 / Faculty information of 2017-18

Application Deficiency Report

DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for Existing Institutes only)

Regional Office		Western	
Application Id	1-3508614080	Permanent Id	1-1455436001
Name of the Institute	VISHWANIKETAN'S INSTITUTE OF MANAGEMENT ENTREPRENEURSHIP AND ENGINEERING TECHNOLOGY (I MEET)	Address	SURVEY NO. 52 KUMBHIVALI, ON MUMBAI-PUNE EXPRESSWAY, NEAR KHALAPUR TOLL NAKA, TAL- KHALAPUR, DIST- RAIGAD
City/Village	KHALAPUR	District	RAIGAD
State	Maharashtra	Pin	410202

Overall Deficiency of Institute: No

Designation	Name	Appointment Type	Qualification	PhD
Principal/Director	BABASAHEB PATIL	Regular	ELECTRICAL ENGINEERING, ELECTRICAL ENGINEERING, No	Yes

Other Details

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	List of faculty and data uploaded on the Institute web portal	Yes	No
2	Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
3	Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
4	Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
5	Courses/Approved Intake displayed at the entrance of the Institute?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Constitution of Anti-Ragging Committee	Yes	No
2	Constitution of Anti-Ragging Squad	Yes	No
3	Undertaking obtained from all Students	Yes	No
4	Appointment of Counselors	Yes	No
5	Undertaking obtained from parents of all the students	Yes	No
6	Undertaking obtained from students staying in Hostel	Yes	No
7	Undertaking obtained from parents of students staying in Hostel	Yes	No

Ombudsman Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Grievance Committee	Yes	No

Total Number of Students in Institute

(i)	No. of Students UG	1680
(ii)	No. of Students PG	0
(iii)	No. of Students DIPLOMA	0
Total Students (CI) (UG+PG+DIPLOMA)		1680

Faculty

Institute Level Faculty

Type	Actual No.	Required No. as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	89	84	No

Administrative Area

Type	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
Principal / Director Office	61	30	No
Board Room	54	20	No
Office All Inclusive	191	150	No
Department Offices/Cabin for Head of Dept	240	100	No
Central Store	43	30	No
Maintenance	18	10	No
Security	10	10	No
Housekeeping	10	10	No
Pantry for Staff/Faculty	10	10	No
Exam Control Office	63	30	No
Training Placement Office	72	30	No

TRUE COPY

B.P.
Principal
Vishwaniketan's (I MEET)





APPROVAL PROCESS 2019-20 / Faculty Information 2018-19
Application Deficiency Report

DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for Existing Institutes only)

Application Id	1-4259436980	Regional Office	Western
Name of the Institute	VISHWANIKETAN'S INSTITUTE OF MANAGEMENT ENTREPRENEURSHIP AND ENGINEERING TECHNOLOGY (I MEET)	Permanent Id	1-1455436001
City/Village	KHALAPUR	Address	SURVEY NO. 52 KUMBHIVALI, ON MUMBAI-PUNE EXPRESSWAY, NEAR KHALAPUR TOLL NAKA, TAL- KHALAPUR, DIST- RAIGAD
State	Maharashtra	District	RAIGAD
		Pin	410202

Overall Deficiency of Institute: **No**

Designation	Name	Appointment Type	Qualification	PhD	Qualified as per AICTE norms (YES/NO)
Principal/Director or	BABASAHEB PATIL	Regular	ELECTRICAL ENGINEERING, ELECTRICAL ENGINEERING, No	Yes	YES

Other Details

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	List of faculty and data uploaded on the Institute web portal	Yes	No
2	Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
3	Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
4	Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
5	Courses/Approved Intake displayed at the entrance of the Institute?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Constitution of Anti-Ragging Committee	Yes	No
2	Constitution of Anti-Ragging Squad	Yes	No
3	Undertaking obtained from all Students	Yes	No
4	Appointment of Counselors	Yes	No
5	Undertaking obtained from parents of all the students	Yes	No
6	Undertaking obtained from students staying in Hostel	Yes	No
7	Undertaking obtained from parents of students staying in Hostel	Yes	No

Ombudsman Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Grievance Committee	Yes	No

Total Number of Students in Institute

(i)	No. of Students UG	1680
(ii)	No. of Students PG	0
(iii)	No. of Students DIPLOMA	0
Total Students (CI) (UG+PG+DIPLOMA)		1680

Faculty

Institute Level Faculty

Type	Actual No.	Required No. as per CI	Deficiency
Total Faculty (UG+PG+Diploma)	96	84	No
TOTAL	96.00	84.00	

Administrative Area

Type	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
Principal / Director Office	61	30	No
Board Room	54	20	No

Date of Signature(dd/mm/yyyy)

TRUE COPY

Seal of Institute

Name & Signature of Director/Principal

Printed By : aicn006210

Principal
Vishwaniketans (I MEET)





APPROVAL PROCESS 2020-21 / Faculty Information 2019-20

Application Deficiency Report

DEFICIENCY REPORT AS PER APPLIED INTAKE (Applicable for Existing Institutions only)

Regional Office	Western	Overall Deficiency of Institution:	No
Application ID	1-7022287791	Permanent ID	1-1455436001
Name of the Institution	Vishwaniketan'S Institute Of Management Entrepreneurship And Engineering Technology (I Meet)	Address	Survey No. 52 Kumbhivali, On Mumbai-Pune Expressway, Near Khalapur Toll Naka, Tal-Khalapur, Dist- Raigad
City/Village	Khalapur	District	Raigad
State	Maharashtra	PIN	410202

Director/Principal Details

Designation	Name	Appointment Type	Qualification	PhD	Qualified as per AICTE Norms (YES/NO)
Director/Principal	Babasaheb Patil	Regular	ELECTRICAL ENGINEERING, ELECTRICAL ENGINEERING, No	Yes	Yes

Other Details

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	List of Faculty Member and Data Uploaded on the Institution Web Portal	Yes	No
2.	Are all Approved Teaching Faculty Member being Paid as per Present Pay Scale/Commission?	Yes	No
3.	Whether Institution is Operating from Permanent Site?	Yes	No
4.	Fees to be Charged, Reservation Policy, Admission Policy and Document Retention Policy are Uploaded in Institution's Website?	Yes	No
5.	Courses/Approved Intake Displayed at the Entrance of the Institution?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Constitution of Anti-Ragging Committee	Yes	No
2.	Constitution of Anti-Ragging Squad	Yes	No
3.	Undertaking Obtained from all Students	Yes	No
4.	Appointment of Counselors	Yes	No
5.	Undertaking Obtained from Parents of all the Students	Yes	No
6.	Undertaking Obtained from Students Staying in Hostel	Yes	No
7.	Undertaking Obtained from Parents of Students Staying in Hostel	Yes	No

Ombudsman Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Grievance Committee	Yes	No

Institution Level Faculty Member

TRUE COPY

Date of Signature(dd/mm/yyyy)

[Signature]
Principal

Seal of Institution



Name & Signature of Director/Principal

Printed By : aicn006210

Vishwaniketan's (i MEET)

Page 1 of 5

Application Deficiency Report



Application Status: **Not Submitted**
Application Sub-Status:

Report Generated on :-29/02/2020

Sr. No.	Particulars	Actual No.	Required No. as per CI	Deficiency
1.	Total Faculty(UG+PG+Diploma)	86	79	No

Administrative Area

Sr. No.	Particulars	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
1.	Board Room	54	20	No
2.	Department Offices/Cabin for Head of Dept	288	120	No
3.	Central Store	43	30	No
4.	Exam Control Office	99	30	No
5.	Housekeeping	10	10	No
6.	Maintenance	18	10	No
7.	Office All Inclusive	191	150	No
8.	Placement Office	112	30	No
9.	Principal Directors Office	61	30	No
10.	Security	10	10	No
TOTAL		886.00	440.00	

Amenities Area

Sr. No.	Particulars	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
1.	Boys Common Room	76	75	No
2.	Cafeteria	466	150	No
3.	First aid cum Sick Room	10	10	No
4.	Girls Common Room	76	75	No
5.	Stationery Store	18	10	No
TOTAL		646.00	320.00	

Computational Facilities


Sr. No.	Particulars	Available	Required	Deficiency
1.	Internet Bandwidth	100	48	No
2.	Printers	26	14	No
3.	A1 size Color Printers	3	0	No
4.	Number of PCs in Language lab	20	20	No
5.	Legal Application S/W	22	20	No
6.	Legal System S/W	10	3	No
7.	PCs to Student ratio	342	270	No

Library Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Volumes	14121	12000	No
2.	Titles	2022	1800	No
3.	Journals	38	36	No
4.	Library Management Software	1	1	No

TRUE COPY

Date of Signature(dd/mm/yyyy)


 Vishwaniketan's (i MEET)

Seal of Institution



Name & Signature of Director/Principal

Printed By : aicn006210

Page 2 of 5



APPROVAL PROCESS 2021-22 *Faculty Information 2020-21*
Application Deficiency Report

DEFICIENCY REPORT AS PER APPLIED INTAKE (Applicable for Existing Institutions only)

Regional Office	Western	Overall Deficiency of Institution:	No
Application ID	1-9317741406	Permanent ID	1-1455436001
Name of the Institution	Vishwaniketan'S Institute Of Management Entrepreneurship And Engineering Technology (I Meet)	Address	Survey No. 52 Kumbhivali, On Mumbai-Pune Expressway, Near Khalapur Toll Naka, Tal-Khalapur, Dist-Raigad
City/Village	Khalapur	District	Raigad
State	Maharashtra	PIN	410202

Director/Principal Details

Designation	Name	Appointment Type	Qualification	PhD	Eligible as per AICTE Norms (YES/NO)
Director/Principal	Babasaheb Patil	Regular	ELECTRICAL ENGINEERING, ELECTRICAL ENGINEERING, No	Yes	Yes

Other Details

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	List of Faculty Member and Data Uploaded on the Institution Web Portal	Yes	No
2.	Are all Approved Teaching Faculty Member being Paid as per Present VI /Pay Scale/Commission?	Yes	No
3.	Whether Institution is Operating from Permanent Site?	Yes	No
4.	Fees to be Charged, Reservation Policy, Admission Policy and Document Retention Policy are Uploaded in Institution's Website?	Yes	No
5.	Courses/Approved Intake Displayed at the Entrance of the Institution?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Constitution of Anti-Ragging Committee	Yes	No
2.	Constitution of Anti-Ragging Squad	Yes	No
3.	Undertaking Obtained from all Students	Yes	No
4.	Appointment of Counselors	Yes	No
5.	Undertaking Obtained from Parents of all the Students	Yes	No
6.	Undertaking Obtained from Students Staying in Hostel	Yes	No
7.	Undertaking Obtained from Parents of Students Staying in Hostel	Yes	No

Ombudsman Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Grievance Committee	Yes	No

TRUE COPY
[Signature]
Principal
Vishwaniketan's (I MEET)



Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-19/04/2021

Institution Level Faculty Member

Sr. No.	Particulars	Actual No.	Required No. as per CI	Deficiency
1.	Total Faculty(UG+PG+Diploma)	79	78	No

Administrative Area

Sr. No.	Particulars	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
1.	Board Room	54	20	No
2.	Department Offices/Cabin for Head of Dept	288	120	No
3.	Central Store	43	30	No
4.	Exam Control Office	99	30	No
5.	Housekeeping	10	10	No
6.	Maintenance	18	10	No
7.	Office All Inclusive	191	150	No
8.	Placement Office	112	30	No
9.	Principal Directors Office	61	30	No
10.	Security	10	10	No
TOTAL		886.00	440.00	

Amenities Area

Sr. No.	Particulars	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
1.	Boys Common Room	76	75	No
2.	Cafeteria	200	150	No
3.	First aid cum Sick Room	10	10	No
4.	Girls Common Room	76	75	No
5.	Stationery Store	18	10	No
TOTAL		380.00	320.00	

Computational Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Printers	26	13	No
2.	A1 size Color Printers	3	0	No
3.	Number of PCs in Language lab	20	20	No
4.	Legal Application S/W	22	20	No
5.	Legal System S/W	10	3	No
6.	PCs to Student ratio	342	260	No

TRUE COPY

 Principal
 Vishwaniketan's (I) MEET


Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application ID: 1-9317741408

Page 2 of 5